DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 04/16/2014 FORM APPROVED OMB NO. 0938-0391

NAME OF PROVIDER OR SUPPLIER COMMUNITY ALTERNATIVES SW IN (Y4) ID PREFIX TAG INEWBURGH, IN 47630 (PACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) W 000 INITIAL COMMENTS This visit was for a recertification and state licensure survey. Dates of Survey: April 8, 9, 10, 2014 Provider Number: 15G138 Aims Number: 100234400 Facility Number: 000675 Surveyor: Mark Ficklin, QIDP Community Alternatives SW IN was found to be in compliance with 42 CFR, Part 483, Subpart I and 460 IAC 9 in regard to the recertification and state licensure survey. Quality Review completed 4/15/14 by Ruth Shackelford, QIDP.	BE COMPLETION
COMMUNITY ALTERNATIVES SW IN (X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) W 000 INITIAL COMMENTS This visit was for a recertification and state licensure survey. Dates of Survey: April 8, 9, 10, 2014 Provider Number: 15G138 Aims Number: 100234400 Facility Number: 000675 Surveyor: Mark Ficklin, QIDP Community Alternatives SW IN was found to be in compliance with 42 CFR, Part 483, Subpart I and 460 IAC 9 in regard to the recertification and state licensure survey. Quality Review completed 4/15/14 by Ruth	BE COMPLETION
PRÉFIX TAG (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) W 000 INITIAL COMMENTS This visit was for a recertification and state licensure survey. Dates of Survey: April 8, 9, 10, 2014 Provider Number: 15G138 Aims Number: 100234400 Facility Number: 000675 Surveyor: Mark Ficklin, QIDP Community Alternatives SW IN was found to be in compliance with 42 CFR, Part 483, Subpart I and 460 IAC 9 in regard to the recertification and state licensure survey. Quality Review completed 4/15/14 by Ruth	BE COMPLETION
This visit was for a recertification and state licensure survey. Dates of Survey: April 8, 9, 10, 2014 Provider Number: 15G138 Aims Number: 100234400 Facility Number: 000675 Surveyor: Mark Ficklin, QIDP Community Alternatives SW IN was found to be in compliance with 42 CFR, Part 483, Subpart I and 460 IAC 9 in regard to the recertification and state licensure survey. Quality Review completed 4/15/14 by Ruth	
licensure survey. Dates of Survey: April 8, 9, 10, 2014 Provider Number: 15G138 Aims Number: 100234400 Facility Number: 000675 Surveyor: Mark Ficklin, QIDP Community Alternatives SW IN was found to be in compliance with 42 CFR, Part 483, Subpart I and 460 IAC 9 in regard to the recertification and state licensure survey. Quality Review completed 4/15/14 by Ruth	
Provider Number: 15G138 Aims Number: 100234400 Facility Number: 000675 Surveyor: Mark Ficklin, QIDP Community Alternatives SW IN was found to be in compliance with 42 CFR, Part 483, Subpart I and 460 IAC 9 in regard to the recertification and state licensure survey. Quality Review completed 4/15/14 by Ruth	
Aims Number: 100234400 Facility Number: 000675 Surveyor: Mark Ficklin, QIDP Community Alternatives SW IN was found to be in compliance with 42 CFR, Part 483, Subpart I and 460 IAC 9 in regard to the recertification and state licensure survey. Quality Review completed 4/15/14 by Ruth	
Community Alternatives SW IN was found to be in compliance with 42 CFR, Part 483, Subpart I and 460 IAC 9 in regard to the recertification and state licensure survey. Quality Review completed 4/15/14 by Ruth	
in compliance with 42 CFR, Part 483, Subpart I and 460 IAC 9 in regard to the recertification and state licensure survey. Quality Review completed 4/15/14 by Ruth	

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.